

Author Index

- Acs, G., Lee, J., Marquez, V.E. and Blumberg, P.M.
Distinct structure-activity relations for stimulation of ^{45}Ca uptake and for high affinity binding in cultured rat dorsal root ganglion neurons and dorsal root ganglion membranes (35) 173
- Andoh, T., Nagasawa, T. and Kuraishi, Y.
Expression of tachykinin NK1 receptor mRNA in dorsal root ganglia of the mouse (35) 329
- Arilla, E., see Puebla, L. (35) 77
- Baker, E., see Handford, C.A. (35) 211
- Blohm, D.H., see Steller, U. (35) 285
- Blumberg, P.M., see Acs, G. (35) 173
- Borovitskaya, A.E., Evtushenko, V.I. and Sabol, S.L.
Gamma-radiation-induced cell death in the fetal rat brain possesses molecular characteristics of apoptosis and is associated with specific messenger RNA elevations (35) 19
- Bourbonnière, M. and Nalbantoglu, J.
The helix-loop-helix transcription factor USF interacts with the basal promoter of human amyloid precursor protein (35) 304
- Brown, G.B., see Lombardo, A.J. (35) 84
- Brown, H.E., see Quiñones-Jenab, V. (35) 297
- Buckland, P.R., Spurlock, G. and McGuffin, P.
Amphetamine and vigabatrin down regulate aromatic L-amino acid decarboxylase mRNA levels (35) 69
- Cacicedo, L., see Tolón, R.M. (35) 103
- Cagampang, F.R.A., Rattray, M., Powell, J.F., Chong, N.W.S., Campbell, I.C. and Coen, C.W.
Circadian variation of EAAC1 glutamate transporter messenger RNA in the rat suprachiasmatic nuclei (35) 190
- Campbell, I.C., see Cagampang, F.R.A. (35) 190
- Cariola, M., see Kaech, S. (35) 344
- Chaudhury, S., see Poddar, R. (35) 111
- Chen, H., Zhang, L., Rubinow, D.R. and Chuang, D.-M.
Chronic buspirone treatment differentially regulates 5-HT_{1A} and 5-HT_{2A} receptor mRNA and binding sites in various regions of the rat hippocampus (Mol. Brain Res. 32 (1995) 348–353) (35) 359
- Chong, N.W.S., see Cagampang, F.R.A. (35) 190
- Chow, W.-Y., see Kung, S.-S. (35) 119
- Chuang, D.-M., see Chen, H. (35) 359
- Climent, S., see Sarasa, M. (35) 269
- Coen, C.W., see Cagampang, F.R.A. (35) 190
- Cohen, D.L., see Kalaria, R.N. (35) 58
- Colangelo, A.M., Pani, L. and Mocchetti, I.
Correlation between increased AP-1_{NGF} binding activity and induction of nerve growth factor transcription by multiple signal transduction pathways in C6-2B glioma cells (35) 1
- Craddock, S., see Holtz, M.L. (35) 339
- Dano, M., see Ebstein, R.P. (35) 260
- Daunais, J.B. and McGinty, J.F.
The effects of D₁ or D₂ dopamine receptor blockade on *zif/268* and preprodynorphin gene expression in rat forebrain following a short-term cocaine binge (35) 237
- Davis, W., see Rylett, R.J. (35) 354
- De Blas, A.L., see Gutiérrez, A. (35) 91
- Dewji, N.N. and Do, C.
Heat shock factor-1 mediates the transcriptional activation of Alzheimer's β -amyloid precursor protein gene in response to stress (35) 325
- Diéguez, C., see Lago, F. (35) 220
- Do, C., see Dewji, N.N. (35) 325
- Domínguez, F., see Lago, F. (35) 220
- Drengler, S.M., Handa, R.J. and Jones, K.J.
Sex differences in androgen receptor mRNA levels and regulation in hamster facial motoneurons (35) 131
- Ebstein, R.P., Nemanov, L., Lubarski, G., Dano, M., Trevis, T. and Korczyn, A.D.
Changes in expression of lymphocyte amyloid precursor protein mRNA isoforms in normal aging and Alzheimer's disease (35) 260
- Emson, P.C., see Lago, F. (35) 220
- Evtushenko, V.I., see Borovitskaya, A.E. (35) 19
- Fernández Vázquez, G., see Tolón, R.M. (35) 103
- Ford, J.H., see Handford, C.A. (35) 211
- Fredholm, B.B., see Svenningsson, P. (35) 183
- Geller, A.I., see Oh, Y.J. (35) 227
- Gietzen, D.W. and Jhanwar-Uniyal, M.
 α_2 noradrenoceptors in the anterior piriform cortex decline with acute amino acid deficiency (35) 41
- Gillespie, L.L., see Reynolds, J.N. (35) 11
- Gutiérrez, A., Khan, Z.U., Miralles, C.P. and De Blas, A.L.
Altered expression of γ_{2L} and γ_{2S} GABA_A receptor subunits in the aging rat brain (35) 91
- Handa, R.J., see Drengler, S.M. (35) 131
- Handford, C.A., Lynch, J.W., Baker, E., Webb, G.C., Ford, J.H., Sutherland, G.R. and Schofield, P.R.
The human glycine receptor β subunit: primary structure, functional characterisation and chromosomal localisation of the human and murine genes (35) 211
- Heimrich, B., see Just, L. (35) 157
- Hijikuro, M., see Ohkura, N. (35) 309
- Hiremagalur, B., see Nankova, B. (35) 164
- Holtz, M.L., Kindy, M.S., Craddock, S., Moore, R.W. and Pettigrew, L.C.
Induction of PGH synthase and *c-fos* mRNA during early reperfusion of ischemic rat brain (35) 339
- Imai, Y., see Taguchi, A. (35) 31
- Imaizumi, K., see Tsuda, M. (35) 314
- Inoue, K., see Minami, Y. (35) 319
- Inoue, K., see Morimura, H. (35) 333
- Ishimoto, I., see Morimura, H. (35) 333
- Jarrott, B., see McLean, K.J. (35) 249
- Jenab, S., see Quiñones-Jenab, V. (35) 297
- Jhanwar-Uniyal, M., see Gietzen, D.W. (35) 41
- Johansson, B., see Svenningsson, P. (35) 183
- Jones, K.J., see Drengler, S.M. (35) 131
- Just, L., Olenik, C., Heimrich, B. and Meyer, D.K.
Expression of the proenkephalin A gene in organotypic cultures of neocortex from newborn rats (35) 157
- Kaech, S., Kim, J.B., Cariola, M. and Ralston, E.
Improved lipid-mediated gene transfer into primary cultures of hippocampal neurons (35) 344
- Kalaria, R.N., Premkumar, D.R.D., Pax, A.B., Cohen, D.L. and Lieberburg, I.
Production and increased detection of amyloid β protein and amyloidogenic fragments in brain microvessels, meningeal vessels and choroid plexus in Alzheimer's disease (35) 58

- Khan, Z.U., see Gutiérrez, A. (35) 91
 Kim, J.B., see Kaech, S. (35) 344
 Kim, S.-Y., see Zhang, L.-X. (35) 278
 Kindy, M.S., see Holtz, M.L. (35) 339
 Kitagawa, K., see Tsuda, M. (35) 314
 Kohls, S., see Steller, U. (35) 285
 Korczyn, A.D., see Ebstein, R.P. (35) 260
 Kung, S.-S., Wu, Y.-M. and Chow, W.-Y.
 Characterization of two fish glutamate receptor cDNA molecules: absence of RNA editing at the Q/R site (35) 119
 Kuraishi, Y., see Andoh, T. (35) 329
 Kuzniecky, R., see Lombardo, A.J. (35) 84
- Lago, F., Señaris, R.M., Emson, P.C., Domínguez, F. and Diéguez, C.
 Evidence for the involvement of non-androgenic testicular factors in the regulation of hypothalamic somatostatin and GHRH mRNA levels (35) 220
 Lawrence, A.J., see McLean, K.J. (35) 249
 Lee, J., see Acs, G. (35) 173
 Lieberburg, I., see Kalaria, R.N. (35) 58
 Lombardo, A.J., Kuzniecky, R., Powers, R.E. and Brown, G.B.
 Altered brain sodium channel transcript levels in human epilepsy (35) 84
 López Fernández, J., see Tolón, R.M. (35) 103
 Lorenzo, M.J., see Tolón, R.M. (35) 103
 Lubarski, G., see Ebstein, R.P. (35) 260
 Lynch, J.W., see Handford, C.A. (35) 211
- Marquez, V.E., see Acs, G. (35) 173
 Martin, J.H., Mohit, A.A. and Miller, C.A.
 Developmental expression in the mouse nervous system of the p49^{3F12} SAP kinase (35) 47
 Masos, T. and Miskin, R.
 Localization of urokinase-type plasminogen activator mRNA in the adult mouse brain (35) 139
 Matsumoto, K., see Taguchi, A. (35) 31
 Matsunaga, T., see Minami, Y. (35) 319
 McCabe, B.J., see Meberg, P.J. (35) 149
 McGinty, J.F., see Daunais, J.B. (35) 237
 McGuffin, P., see Buckland, P.R. (35) 69
 McLean, K.J., Jarrott, B. and Lawrence, A.J.
 Neuropeptide Y gene expression and receptor autoradiography in hypertensive and normotensive rat brain (35) 249
 Meberg, P.J., McCabe, B.J. and Routtenberg, A.
 MARCKS and protein F1/GAP-43 mRNA in chick brain: effects of imprinting (35) 149
 Menezes, A., see Nankova, B. (35) 164
 Mengod, G., see Sarasa, M. (35) 269
 Meyer, D.K., see Just, L. (35) 157
 Miki, K., see Ohkura, N. (35) 309
 Miller, C.A., see Martin, J.H. (35) 47
 Minami, Y., Shimada, S., Inoue, K., Morimura, H., Miyai, A., Yamauchi, A., Matsunaga, T. and Tohyama, M.
 Expression of Na⁺/myo-inositol cotransporter mRNA in the inner ear of the rat (35) 319
 Minami, Y., see Morimura, H. (35) 333
 Miralles, C.P., see Gutiérrez, A. (35) 91
 Miskin, R., see Masos, T. (35) 139
 Miyai, A., see Minami, Y. (35) 319
 Miyai, A., see Morimura, H. (35) 333
 Mocchetti, I., see Colangelo, A.M. (35) 1
 Moffat, M., see Oh, Y.J. (35) 227
 Mohit, A.A., see Martin, J.H. (35) 47
 Moore, R.W., see Holtz, M.L. (35) 339
 Mori, T., see Taguchi, A. (35) 31
 Morimura, H., Shimada, S., Otori, Y., Yamauchi, A., Minami, Y., Inoue, K., Miyai, A., Ishimoto, I., Tano, Y. and Tohyama, M.
 Expression of Na⁺/myo-inositol cotransporter mRNA in normal and hypertonic stress rat eyes (35) 333
 Morimura, H., see Minami, Y. (35) 319
 Müller, B., see Steller, U. (35) 285
 Müller, R., see Steller, U. (35) 285
 Muniesa, P., see Sarasa, M. (35) 269
- Nagasawa, T., see Andoh, T. (35) 329
 Nalbantoglu, J., see Bourbonniere, M. (35) 304
 Nankova, B., Hiremagalur, B., Menezes, A., Zeman, R. and Sabban, E.
 Promoter elements and second messenger pathways involved in transcriptional activation of tyrosine hydroxylase by ionomycin (35) 164
 Naylor, P., Stewart, C.A., Wright, S.R., Pearson, R.C.A. and Reid, I.C.
 Repeated ECS induces GluR1 mRNA but not NMDAR1A-G mRNA in the rat hippocampus (35) 349
 Nemanov, L., see Ebstein, R.P. (35) 260
- Oh, Y.J., Moffat, M., Wong, S., Ullrey, D., Geller, A.I. and O'Malley, K.L.
 A herpes simplex virus-1 vector containing the rat tyrosine hydroxylase promoter directs cell type-specific expression of beta-galactosidase in cultured rat peripheral neurons (35) 227
 Ohkura, N., Hijikuro, M. and Miki, K.
 Antisense oligonucleotide to NOR-1, a novel orphan nuclear receptor, induces migration and neurite extension of cultured forebrain cells (35) 309
 Olenik, C., see Just, L. (35) 157
 O'Malley, K.L., see Oh, Y.J. (35) 227
 Otori, Y., see Morimura, H. (35) 333
- Palacios, J.M., see Sarasa, M. (35) 269
 Pani, L., see Colangelo, A.M. (35) 1
 Paterno, G.D., see Reynolds, J.N. (35) 11
 Paul, S., see Poddar, R. (35) 111
 Pax, A.B., see Kalaria, R.N. (35) 58
 Pearson, R.C.A., see Naylor, P. (35) 349
 Pettigrew, L.C., see Holtz, M.L. (35) 339
 Pfaff, D.W., see Quiñones-Jenab, V. (35) 297
 Poddar, R., Paul, S., Chaudhury, S. and Sarkar, P.K.
 Regulation of actin and tubulin gene expression by thyroid hormone during rat brain development (35) 111
 Post, R.M., see Zhang, L.-X. (35) 278
 Powell, J.F., see Cagampang, F.R.A. (35) 190
 Powers, R.E., see Lombardo, A.J. (35) 84
 Prasad, A., see Reynolds, J.N. (35) 11
 Premkumar, D.R.D., see Kalaria, R.N. (35) 58
 Puebla, L., Rodríguez-Martín, E. and Arilla, E.
 Hippocampal somatostatin receptors and modulation of adenylyl cyclase activity in histamine-treated rats (35) 77
- Quiñones-Jenab, V., Zhang, C., Jenab, S., Brown, H.E. and Pfaff, D.W.
 Anesthesia during hormone administration abolishes the estrogen induction of preproenkephalin mRNA in ventromedial hypothalamus of female rats (35) 297
- Ralston, E., see Kaech, S. (35) 344
 Ratnayake, M., see Cagampang, F.R.A. (35) 190
 Reid, I.C., see Naylor, P. (35) 349
 Reynolds, J.N., Prasad, A., Gillespie, L.L. and Paterno, G.D.
 Developmental expression of functional GABA_A receptors containing the $\gamma 2$ subunit in neurons derived from embryonal carcinoma (P19) cells (35) 11
 Rodríguez-Martín, E., see Puebla, L. (35) 77
 Rosen, J.B., see Zhang, L.-X. (35) 278
 Routtenberg, A., see Meberg, P.J. (35) 149
 Rubinow, D.R., see Chen, H. (35) 359
 Rylett, R.J., Walters, S.A. and Davis, W.
 Identification and partial characterization of the high-affinity choline carrier from rat brain striatum (35) 354
- Sabban, E., see Nankova, B. (35) 164
 Sabol, S.L., see Borovitskaya, A.E. (35) 19
 Sánchez-Franco, F., see Tolón, R.M. (35) 103
 Sarasa, M., Terrado, J., Mengod, G., Climent, S., Muniesa, P. and Palacios, J.M.
 Differential expression of α -CGRP and β -CGRP genes within hypoglossal motoneurons in response to axotomy (35) 269
 Sarkar, P.K., see Poddar, R. (35) 111
 Schlender, J., see Steller, U. (35) 285
 Schofield, P.R., see Handford, C.A. (35) 211
 Señaris, R.M., see Lago, F. (35) 220
 Shimada, S., see Minami, Y. (35) 319
 Shimada, S., see Morimura, H. (35) 333
 Sivam, S.P.
 Dopaminergic regulation of striatonigral tachykinin and dynorphin gene expression: a study with the dopamine uptake inhibitor GBR-12909 (35) 197
- Smith, M.A., see Zhang, L.-X. (35) 278
 Söller, R., see Steller, U. (35) 285
 Spurlock, G., see Buckland, P.R. (35) 69
 Steller, U., Kohls, S., Müller, B., Söller, R., Müller, R., Schlender, J. and Blohm, D.H.
 The RNA binding protein HuD: rat cDNA and analysis of the alternative spliced mRNA in neuronal differentiating cell lines P19 and PC12 (35) 285
 Stewart, C.A., see Naylor, P. (35) 349
 Sutherland, G.R., see Handford, C.A. (35) 211
 Svenningsson, P., Johansson, B. and Fredholm, B.B.
 Caffeine-induced expression of *c-fos* mRNA and NGFI-A mRNA in caudate putamen and in nucleus accumbens are differentially affected by the *N*-methyl-D-aspartate receptor antagonist MK-801 (35) 183
- Tagaki, T., see Taguchi, A. (35) 31
 Taguchi, A., Wanaka, A., Mori, T., Matsumoto, K., Imai, Y., Tagaki, T. and Tohyama, M.

- Molecular cloning of novel leucine-rich repeat proteins and their expression in the developing mouse nervous system (35) 31
- Takagi, T., see Tsuda, M. (35) 314
- Tano, Y., see Morimura, H. (35) 333
- Terrado, J., see Sarasa, M. (35) 269
- Tohyama, M., see Taguchi, A. (35) 31
- Tohyama, M., see Tsuda, M. (35) 314
- Tohyama, M., see Minami, Y. (35) 319
- Tohyama, M., see Morimura, H. (35) 333
- Tolón, R.M., Sánchez-Franco, F.,
López Fernández, J., Lorenzo, M.J.,
Fernández Vázquez, G. and Cacicedo, L.
Regulation of somatostatin gene expression
by veratridine-induced depolarization in cul-
tured fetal cerebrocortical cells (35) 103
- Trevis, T., see Ebstein, R.P. (35) 260
- Tsuda, M., Kitagawa, K., Imaizumi, K.,
Wanaka, A., Tohyama, M. and Takagi, T.
Induction of SPI-3 mRNA, encoding a ser-
ine protease inhibitor, in gerbil hippocam-
pus after transient forebrain ischemia (35)
314
- Ullrey, D., see Oh, Y.J. (35) 227
- Walters, S.A., see Rylett, R.J. (35) 354
- Wanaka, A., see Taguchi, A. (35) 31
- Wanaka, A., see Tsuda, M. (35) 314
- Webb, G.C., see Handford, C.A. (35) 211
- Weiss, S.R.B., see Zhang, L.-X. (35) 278
- Wong, S., see Oh, Y.J. (35) 227
- Wright, S.R., see Naylor, P. (35) 349
- Wu, Y.-M., see Kung, S.-S. (35) 119
- Yamauchi, A., see Minami, Y. (35) 319
- Yamauchi, A., see Morimura, H. (35) 333
- Zeman, R., see Nankova, B. (35) 164
- Zhang, C., see Quiñones-Jenab, V. (35) 297
- Zhang, L., see Chen, H. (35) 359
- Zhang, L.-X., Smith, M.A., Kim, S.-Y., Rosen,
J.B., Weiss, S.R.B. and Post, R.M.
Changes in cholecystokinin mRNA expres-
sion after amygdala kindled seizures: an in
situ hybridization study (35) 278